

# Oxytetracycline Sheep Ration for Treatment of Bacterial Enteritis and Bacterial Pneumonia Type C Medicated Feed

**CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

For treatment of bacterial enteritis caused by Escherichia coli and bacterial pneumonia caused by Pasteurella multocida susceptible to oxytetracycline.

## ACTIVE DRUG INGREDIENT

Oxytetracycline (from oxytetracycline dihydrate base) equivalent to \_\_\_\_ grams\* oxytetracycline hydrochloride/ton to provide approximately 10 mg/lb body weight/day varying with body weight and feed consumption.

## GUARANTEED ANALYSIS

Crude Protein, (Min).....	XX.XX %
NPN, (Max) <sup>1</sup> .....	X.XX%
Crude Fat, (Min).....	X.XX%
Crude Fiber, (Max).....	X.XX%
Calcium, (Min).....	X.XX%
Calcium, (Max).....	X.XX%
Phosphorus, (Min) <sup>1</sup> .....	X.XX%
Salt, (Min) <sup>1</sup> .....	X.XX%
Salt, (Max) <sup>1</sup> .....	X.XX%
Sodium, (Min) <sup>2</sup> .....	X.XX%
Sodium, (Max) <sup>2</sup> .....	X.XX%
Copper, (Min) <sup>3</sup> .....	ppm
Copper, (Max) <sup>3</sup> .....	ppm
Selenium, (Min) <sup>1</sup> .....	ppm
Vitamin A, (Min) <sup>4</sup> .....	____IU/Lb

<sup>1</sup>If added

<sup>2</sup>Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee

<sup>3</sup>If added, or if total copper exceeds 20 ppm

<sup>4</sup>Other than precursor of Vitamin A, if added

## INGREDIENTS

Ingredients as defined by AAFCO

## DIRECTIONS FOR USE

Feed continuously for 7-14 days as the sole ration.

**RESIDUE WARNING:** Five-day withdrawal period.

\*The medicated feed label must state a single drug concentration.

Net Weight \_\_\_\_\_ lb (\_\_\_\_\_ kg)

Manufactured by  
Blue Bird Feed Company  
Blue Bird, MD 00000