



Sequential VFD ID Number

Pennox (oxytetracycline) Veterinary Feed Directive for use in Calves, Beef Cattle and Nonlactating Dairy Cattle

Client: _____
Business or Home Address: _____
Address: _____
Phone #: _____

Veterinarian: _____
Address: _____
Phone #: _____

Approximate number of animals to be treated: _____

Location of animals: _____

Special Instructions and/or other animal identifications:

Indication, Drug Level in Medicated Feed, and Duration of Use (select one and specify the additional required information):

- A)** For Growing Cattle (over 400 lbs): For the reduction of the incidence of liver abscesses.
Drug level: _____ g/ton in order to provide 75 mg / head / day
Duration of use: _____ days
- B)** For Cattle: For the prevention and treatment of the early stages of the shipping fever complex.
Drug level: _____ g/ton in order to provide 0.5 to 2.0 g / head / day
Duration of use: _____ days (3 to 5 days)
- C)** For Calves, Beef, and Nonlactating Dairy Cattle : For treatment of bacterial enteritis caused by *Escherichia coli* and bacterial pneumonia (shipping fever complex) caused by *Pasteurella multocida* susceptible to oxytetracycline.
Drug level: _____ g/ton in order to provide 10 mg/lb body weight / day
Duration of use: _____ days (7 to 14 days)

Caution: Use of feed containing this Veterinary Feed Directive (VFD) drug in a manner other than as directed on the labeling (extra-label use) is not permitted.

For use in Dry Feeds Only. Not for Use in Liquid feed Supplements.

**Residue Warnings: 5-day withdrawal period at 10 mg/lb dosage [Indication C].
Zero day withdrawal period [Indications A and B].**

Combination Use:

This VFD only authorizes the use of the VFD drug(s) cited in this order and is not intended to authorize the use of such drug(s) in combination with any other animal drugs.

VFD Issuance Date: _____

VFD Expiration Date: _____
Month/Day/Year
(Not to exceed 6 months from issuance date)

Veterinarian's signature: _____